

EGYPTIAN
CRACKLE ENAMEL

296-31.R

16

296/908



EGYPTIAN CRACKLE ENAMEL, will, when used over any of the standard Egyptian Enamels, produce a cracked finish similar to alligator grain leather. Page one of this folder is an actual photograph of a plate upon which Egyptian Crackle Enamel has been applied, and will serve to give an idea of the results obtained by its use.

Various combinations of colors may be used, and, with proper manipulation, the size of crystals can be regulated, which, together with the low cost and simplicity of application, makes the use of Egyptian Crackle Enamel adaptable for almost any requirement.

Your request will bring one of our representatives, who will show you samples of work finished with Egyptian Crackle Enamel or write us for further information.



To obtain best results, it is suggested that one coat of Egyptian Crackle Enamel be sprayed over any of the standard grades of Egyptian Enamel in approximate proportions of four parts of Crackle Enamel to one part of thinner. With the exception of the method of regulating the size of crystals, it is applied in the same manner as other lacquers and enamels. Where it is desired to vary the design by obtaining smaller or larger crystals, it will be well to bear in mind that the lighter the coat and the faster it is put on the smaller the crystals. To enlarge the crystals, go over the work immediately before thoroughly dry, touching only the parts where the larger crystals are desired. It is highly important that Egyptian Crackle Enamel be stirred well every time it is used and unless this point is observed the results obtained will not be satisfactory.



EGYPTIAN CRACKLE ENAMEL

Made in the following colors

RED, BLUE, GREEN, BROWN,

YELLOW, ORANGE, PURPLE

BLACK and WHITE

Manufactured by

THE EGYPTIAN LACQUER MFG. COMPANY

90 West Street, NEW YORK